Nuclear Engineering and Design 145 (1993) 441–442
North-Holland

Author Index to Volume 145

Additon, S.L., see Leaver, D.E.W. 145 (1993) 307
Akimoto, H., see Murao, Y. 145 (1993) 85
Aksan, S.N., F. D'Auria and H. Städtke, User effects on the thermal-hydraulic transient system code calculations 145 (1993) 159
Amin, M., A.C. Eberhardt and B.A. Erler, Design considerations for concrete containments under severe accident loads 145 (1993) 331
Andreoli, V., P. Angeloni, P. Contri and L. Brusa, Numerical simulation of the ultimate load capacity of a reactor containment building 145 (1993) 403
Angeloni, P., see Andreoli, V. 145 (1993) 403

Barre, F., M. Parent and B. Brun, Advanced numerical methods for thermalhydraulics 145 (1993) 147
Bergmann, V.L., see Spletzer, B.L. 145 (1993) 387
Bestion, D., see Janicot, A. 145 (1993) 37
Bestion, D., see Yadigaroglu, G. 145 (1993) 1
Brand, B., R. Emmerling, Ch. Fischer, H.-P. Gaul and K. Umminger, Two-phase flow instrumentation 145 (1993) 113
Brown, J.A. and G.A. Tice, Containment penetrations – Flexible metallic bellows: Testing, safety, life extension issues 145 (1993) 419
Brun, B., see Barre, F. 145 (1993) 147
Brusa, L., see Andreoli, V. 145 (1993) 403

Carcassi, M.N. and F. Fineschi, A theoretical and experimental study on the hydrogen vented deflagration 145 (1993) 355
Contri, P., see Andreoli, V. 145 (1993) 403
Corradini, M.L. and H. Hohmann, Multiphase flow aspects of fuel–coolant interactions in reactor safety research 145 (1993) 207

D'Auria, F., M. Modro, F. Oriolo and K. Tasaka, Relevant thermalhydraulic aspects of new generation LWRs 145 (1993) 241
D'Auria, F., see Aksan, S.N. 145 (1993) 159
De Boeck, B., A review of containment accidents 145 (1993) 279

Eberhardt, A.C., see Amin, M. 145 (1993) 331
Edwards, N.W., see Sammataro, R.F. 145 (1993) 289
Emmerling, R., see Brand, B. 145 (1993) 113
Erler, B.A., see Amin, M. 145 (1993) 331

Fineschi, F., see Carcassi, M.N. 145 (1993) 355
Fischer, Ch., see Brand, B. 145 (1993) 113
Furukawa, H., see Saito, H. 145 (1993) 339

Gaul, H.-P., see Brand, B. 145 (1993) 113
Glaeser, H. and H. Karwat, The contribution of UPTF experiments to resolve some scale-up uncertainties in countercurrent two phase flow 145 (1993) 63
Goto, M., see Hirao, K. 145 (1993) 375

Hasegawa, T., see Saito, H. 145 (1993) 339
Hidaka, A., see Yamano, N. 145 (1993) 365
Hirao, K., T. Zama, M. Goto, Y. Naruse, K. Saito, T. Suzuki and H. Sugino, High-temperature leak-characteristics of PCV hatch flange gasket 145 (1993) 375
Hohmann, H., see Corradini, M.L. 145 (1993) 207
Hortal, J., see Izquierdo, J.M. 145 (1993) 175
Hyvärinen, J., The inherent boron dilution mechanism in pressurized water reactors 145 (1993) 227

Iguchi, T., see Murao, Y. 145 (1993) 85
Iwamura, T., see Murao, Y. 145 (1993) 85
Izquierdo, J.M., J. Hortal and L. Vanhoenacker, Merits and limits of thermalhydraulic plant simulations – towards a unified approach to qualify plant models 145 (1993) 175

Janicot, A. and D. Bestion, Condensation modelling for ECC injection 145 (1993) 37

Karwat, H., see Glaeser, H. 145 (1993) 63
Kelly, J., see Yadigaroglu, G. 145 (1993) 1
Kim, H.-J., see Kim, I.G. 145 (1993) 431
Kim, I.G. and H.-J. Kim, A review on operating experiences of containment isolation systems in Korea 145 (1993) 431
Kudo, T., see Yamano, N. 145 (1993) 365

Lambert, L.D., see Spletzer, B.L. 145 (1993) 387
Leaver, D.E.W. and S.L. Additon, ALWR utility requirements document containment performance requirements 145 (1993) 307

Mahaffy, J.H., Numerics of codes: stability, diffusion, and convergence 145 (1993) 131

March-Leuba, J. and J.M. Rey, Coupled thermohydraulic–neutronic instabilities in boiling water nuclear reactors: a review of the state of the art 145 (1993) 97
Maruyama, Y., see Yamano, N. 145 (1993) 365
Mayinger, F., P. Weiss and K. Wolfert, Two-phase flow phenomena in full-scale reactor geometry 145 (1993) 47
Modro, M., see D'Auria, F. 145 (1993) 241
Muramatsu, Y., see Saito, H. 145 (1993) 339
Murao, Y., T. Iguchi, H. Akimoto and T. Iwamura, Large-scale multi-dimensional phenomena found in CCTF and SCTF experiments 145 (1993) 85
Murao, Y., see Yadigaroglu, G. 145 (1993) 1
Mutoh, A., see Saito, H. 145 (1993) 339

Naruse, Y., see Hirao, K. 145 (1993) 375
Nelson, R.A., see Yadigaroglu, G. 145 (1993) 1

Oriolo, F., see D'Auria, F. 145 (1993) 241

Parent, M., see Barre, F. 145 (1993) 147
Porracchia, A., see Reocreux, M. 145 (1993) 217

Ray, S.S., Study of available margins of containments against structural failure 145 (1993) 321
Reocreux, M. and A. Porracchia, System thermalhydraulics during PWR severe accidents 145 (1993) 217
Rey, J.M., see March-Leuba, J. 145 (1993) 97

Saito, H., Y. Muramatsu, H. Furukawa, T. Hasegawa and A. Mutoh, Post-test analysis of a 1:10-scale top slab model of ABWR/RCCV subjected to internal pressure 145 (1993) 339
Saito, K., see Hirao, K. 145 (1993) 375
Sammataro, R.F., W.R. Solonick and N.W. Edwards, A generic approach for steel containment vessel success criteria for severe accident loads 145 (1993) 289
Soda, K., see Yamano, N. 145 (1993) 365
Solonick, W.R., see Sammataro, R.F. 145 (1993) 289
Sonnenburg, H.G. and H. Tuomisto, Analysis of a selected two-phase flow phenomenon in VVER reactors with horizontal steam generators 145 (1993) 261
Spletzer, B.L., L.D. Lambert, V.L. Bergmann and J.R. Weatherby, Testing and analyses to investigate liner tearing of the 1:6-scale reinforced concrete containment building 145 (1993) 387
Städtke, H., see Aksan, S.N. 145 (1993) 159
Sugimoto, J., see Yamano, N. 145 (1993) 365
Sugino, H., see Hirao, K. 145 (1993) 375
Suzuki, T., see Hirao, K. 145 (1993) 375

Tasaka, K., see D'Auria, F. 145 (1993) 241
Teschendorff, V., see Yadigaroglu, G. 145 (1993) 1
Tice, G.A., see Brown, J.A. 145 (1993) 419
Tuomisto, H., see Sonnenburg, H.G. 145 (1993) 261

Umminger, K., see Brand, B. 145 (1993) 113

Vanhoenacker, L., see Izquierdo, J.M. 145 (1993) 175

Ward, D.A., Proposed criteria to accommodate severe accidents in containment design 145 (1993) 275
Weatherby, J.R., see Spletzer, B.L. 145 (1993) 387
Weiss, P., see Mayinger, F. 145 (1993) 47
Wolfert, K., see Mayinger, F. 145 (1993) 47

Yadigaroglu, G., R.A. Nelson, V. Teschendorff, Y. Murao, J. Kelly and D. Bestion, Modeling of reflooding 145 (1993) 1
Yamano, N., J. Sugimoto, Y. Maruyama, A. Hidaka, T. Kudo and K. Soda, Small-scale component experiments of the penetration leak characterization test in the ALPHA program 145 (1993) 365

Zama, T., see Hirao, K. 145 (1993) 375

Nuclear Engineering and Design 145 (1993) 443–444
North-Holland

Subject Index to Volume 145

Thermal and fluid design

Modeling of reflooding, G. Yadigaroglu, R.A. Nelson, V. Teschendorff, Y. Murao, J. Kelly and D. Bestion 145 (1993) 1
Condensation modelling for ECC injection, A. Janicot and D. Bestion 145 (1993) 37
Two-phase flow phenomena in full-scale reactor geometry, F. Mayinger, P. Weiss and K. Wolfert 145 (1993) 47
The contribution of UPTF experiments to resolve some scale-up uncertainties in countercurrent two phase flow, H. Glaeser and H. Karwat 145 (1993) 63
Large-scale multi-dimensional phenomena found in CCTF and SCTF experiments, Y. Murao, T. Iguchi, H. Akimoto and T. Iwamura 145 (1993) 85
Coupled thermohydraulic–neutronic instabilities in boiling water nuclear reactors: a review of the state of the art, J. March-Leuba and J.M. Rey 145 (1993) 97
Two-phase flow instrumentation, B. Brand, R. Emmerling, Ch. Fischer, H.-P. Gaul and K. Umminger 145 (1993) 113
Numerics of codes: stability, diffusion, and convergence, J.H. Mahaffy 145 (1993) 131
Advanced numerical methods for thermalhydraulics, F. Barre, M. Parent and B. Brun 145 (1993) 147
User effects on the thermal-hydraulic transient system code calculations, S.N. Aksan, F. D'Auria and H. Städtke 145 (1993) 159
Merits and limits of thermalhydraulic plant simulations – towards a unified approach to qualify plant models, J.M. Izquierdo, J. Hortal and L. Vanhoenacker 145 (1993) 175
Multi-phase flow aspects of fuel–coolant interactions in reactor safety research, M.L. Corradini and H. Hohmann 145 (1993) 207
System thermalhydraulics during PWR severe accidents, M. Reocreux and A. Porracchia 145 (1993) 217
The inherent boron dilution mechanism in pressurized water reactors, J. Hyvärinen 145 (1993) 227
Relevant thermalhydraulic aspects of new generation LWRs, F. D'Auria, M. Modro, F. Oriolo and K. Tasaka 145 (1993) 241
Analysis of a selected two-phase flow phenomenon in VVER reactors with horizontal steam generators, H.G. Sonnenburg and H. Tuomisto 145 (1993) 261

Materials properties

High-temperature leak-characteristics of PCV hatch flange gasket, K. Hirao, T. Zama, M. Goto, Y. Naruse, K. Saito, T. Suzuki and H. Sugino 145 (1993) 375

Mechanical design, component fabrication and testing

Small-scale component experiments of the penetration leak characterization test in the ALPHA program, N. Yamano, J. Sugimoto, Y. Maruyama, A. Hidaka, T. Kudo and K. Soda 145 (1993) 365
High-temperature leak-characteristics of PCV hatch flange gasket, K. Hirao, T. Zama, M. Goto, Y. Naruse, K. Saito, T. Suzuki and H. Sugino 145 (1993) 375
Testing and analyses to investigate liner tearing of the 1:6-scale reinforced concrete containment building, B.L. Spletzer, L.D. Lambert, V.L. Bergmann and J.R. Weatherby 145 (1993) 387
A review on operating experiences of containment isolation systems in Korea, I.G. Kim and H.-J. Kim 145 (1993) 431
Containment penetrations – Flexible metallic bellows: Testing, safety, life extension issues, J.A. Brown and G.A. Tice 145 (1993) 419

Reactor concepts and systems analysis

A generic approach for steel containment vessel success criteria for severe accident loads, R.F. Sammataro, W.R. Solonick and N.W. Edwards 145 (1993) 289

ALWR utility requirements document containment performance requirements, D.E.W. Leaver and S.L. Additon 145 (1993) 307
Post-test analysis of a 1:10-scale top slab model of ABWR/RCCV subjected to internal pressure, H. Saito, Y. Muramatsu, H. Furukawa, T. Hasegawa and A. Mutoh 145 (1993) 339

Safeguard engineering

A review of containment accidents, B. De Boeck 145 (1993) 279
A generic approach for steel containment vessel success criteria for severe accident loads, R.F. Sammataro, W.R. Solonick and N.W. Edwards 145 (1993) 289
ALWR utility requirements document containment performance requirements, D.E.W. Leaver and S.L. Additon 145 (1993) 307
Study of available margins of containments against structural failure, S.S. Ray 145 (1993) 321
A review on operating experiences of containment isolation systems in Korea, I.G. Kim and H.-J. Kim 145 (1993) 431

Structural design, construction methods and testing

A review of containment accidents, B. De Boeck 145 (1993) 279
Study of available margins of containments against structural failure, S.S. Ray 145 (1993) 321
Design considerations for concrete containments under severe accident loads, M. Amin, A.C. Eberhardt and B.A. Erler 145 (1993) 331
Post-test analysis of a 1:10-scale top slab model of ABWR/RCCV subjected to internal pressure, H. Saito, Y. Muramatsu, H. Furukawa, T. Hasegawa and A. Mutoh 145 (1993) 339
A theoretical and experimental study on the hydrogen vented deflagration, M.N. Carcassi and F. Fineschi 145 (1993) 355
Testing and analyses to investigate liner tearing of the 1:6-scale reinforced concrete containment building, B.L. Spletzer, L.D. Lambert, V.L. Bergmann and J.R. Weatherby 145 (1993) 387
Numerical simulation of the ultimate load capacity of a reactor containment building, V. Andreoli, P. Angeloni, P. Contri and L. Brusa 145 (1993) 403